

| Ref # | Hits   | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|--------|--|--|------------------|---------|------------------|
| S1    | 224    | du.xa.   | USPAT  | OR               | OFF     | 2004/09/03 14:36 |
| S2    | 25     | "6073254"  | USPAT  | OR               | OFF     | 2004/11/27 11:07 |
| S3    | 36     | "sequence manager"                                     | USPAT  | OR               | OFF     | 2005/04/21 15:56 |
| S4    | 0      | S3 same (logic adj gate\$2)                            | USPAT  | OR               | OFF     | 2004/11/27 11:17 |
| S5    | 15     | "sequence manager"                                     | USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR               | OFF     | 2004/11/27 12:12 |
| S6    | 75083  | input with (equal\$3 equivalent) with output           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2004/11/27 12:17 |
| S7    | 1807   | input with (equal\$3 equivalent) with output with mode | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2004/11/27 12:18 |
| S8    | 56     | S7 same sequence                                       | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2004/11/27 12:35 |
| S9    | 742226 | 'pass through'   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/04/21 15:15 |
| S10   | 8246   | 'pass through' near2 signals                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2004/11/27 12:36 |
| S11   | 1066   | S10 with control\$3                                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2004/11/27 12:37 |
| S12   | 72     | S11 same gates   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2004/11/27 12:38 |
| S13   | 6      | S11 same gates same mode                               | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2004/11/27 12:38 |

|     |      |  |  |    |     |                  |
|-----|------|--|--|----|-----|------------------|
| S14 | 1089 | ("integrated circuit" ic) with test\$3 with individual\$2                  | USPAT  | OR | OFF | 2005/04/21 13:29 |
| S15 | 31   | ("integrated circuit" ic) with test\$3 with (block\$1 near3 individual\$2) | USPAT  | OR | OFF | 2005/04/20 16:09 |
| S16 | 1    | S15 same transparent   | USPAT  | OR | OFF | 2005/04/20 16:09 |
| S17 | 21   | ("integrated circuit" ic) with (test\$3 near3 mode) with individual\$2     | USPAT  | OR | OFF | 2005/04/21 13:30 |
| S18 | 7978 | 'pass through' with enable   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/21 15:15 |
| S19 | 35   | 'pass through' near5 (enable adj signals)                                  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/21 15:16 |
| S20 | 0    | S19 with mode  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/21 15:16 |
| S21 | 1    | "sequence manager" near3 mode  | USPAT  | OR | OFF | 2005/04/21 15:58 |
| S22 | 1717 | (portion selected) near2 signals with mode                                 | USPAT  | OR | OFF | 2005/04/21 15:59 |
| S23 | 7    | (portion selected) near2 "enable signals" with mode                        | USPAT  | OR | OFF | 2005/04/21 16:42 |
| S24 | 1    | "4833655".pn.  | USPAT  | OR | OFF | 2005/04/21 16:42 |
| S25 | 1447 | transparent near2 (latch buffer)   | USPAT  | OR | OFF | 2005/09/24 16:28 |
| S26 | 275  | S25 same mode  | USPAT  | OR | OFF | 2005/04/21 16:43 |
| S27 | 166  | S25 with mode  | USPAT  | OR | OFF | 2005/04/21 16:51 |
| S28 | 15   | S27 same test\$3   | USPAT  | OR | OFF | 2005/04/22 10:34 |
| S29 | 1475 | transparent near2 mode   | USPAT  | OR | OFF | 2005/04/22 10:35 |
| S30 | 7561 | sequen\$4 near2 mode   | USPAT  | OR | OFF | 2005/04/22 10:35 |
| S31 | 21   | S29 same S30   | USPAT  | OR | OFF | 2005/04/22 10:35 |
| S32 | 1933 | transparent near2 mode   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2005/04/22 10:35 |
| S33 | 8840 | sequen\$4 near2 mode   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2005/04/22 10:35 |
| S34 | 23   | S32 same S33   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2005/04/22 15:36 |

|     |       |                                       |  |    |     |                  |
|-----|-------|---------------------------------------|--|----|-----|------------------|
| S35 | 35    | ("4833655").URPN.                     | USPAT                                      | OR | OFF | 2005/04/22 11:06 |
| S36 | 27559 | logic near2 gates                     | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/22 15:37 |
| S37 | 24    | logic near2 gates with transparent    | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/24 16:19 |
| S38 | 1933  | transparent near2 mode                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/22 15:53 |
| S39 | 8840  | sequen\$4 near2 mode                  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/22 15:53 |
| S40 | 0     | S37 same S38 same S39                 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/22 15:53 |
| S41 | 23    | S38 same S39                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/22 15:54 |
| S42 | 0     | S36 same S41                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/22 15:54 |
| S43 | 0     | S36 and S41                           | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/04/22 15:54 |
| S44 | 1987  | transparent near2 mode                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/24 16:20 |
| S45 | 9039  | sequen\$4 near2 mode                  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/24 16:20 |
| S46 | 0     | (logic near2 gates) same S44 same S45 | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/24 16:29 |
| S47 | 0     | (logic near2 gates) and S44 same S45  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/24 16:20 |

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S48 | 26  | S44 same S45                                  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/24 16:21 |
| S49 | 223 | transparent near5 (latch buffer)<br>WITH MODE | USPAT                                      | OR | OFF | 2005/09/24 16:28 |
| S50 | 1   | (logic near2 gates) same S49                  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/09/24 16:29 |